



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor


T 3 N.

R 2 W.



Township N° II North, Range N° II West of 2nd Meridian. Surveyed by Edw.^d W. Tupper & Augustus Stone, 1805; F. A. Henrie, 1873.

Permitting of the Soil on the interior Sectional lines



Township N. 1 North, Range N. 2 West of 2nd Meridian. Surveyed by Edw. W. Tupper & Augustus Stone, 1805; F.A. Henric, 1806.

RECORD
OF
FIELD NOTES

South Boundary.

West On the South Boundary of sec. 36 T. 3 N. R. 2 W.
 40.00 A 11 Oak 20 in dia. stands for the ca of 70 ew
 80.00 Set a post for the ca of sec. 35 T. 3 N. R. 2 W. from which
 Sugar 10 in dia. stands N 63 E 13 1/2 mts dist. 12,
 Buck, 13 1/2 " " S 80 W 35 " "
 2nd rate upland timber Oak, Buck, &c.

West On the South Boundary of sec. 35 T. 3 N. R. 2 W.
 24.00 To a Buck 8 in dia. in the line
 40.00 Set a post for the ca of sec. 34 T. 3 N. R. 2 W. from which
 dist. stands for the ca of 70 ew
 80.00 Set a post for the ca of sec. 34 T. 3 N. R. 2 W. from which
 N 56 E 8 in dia. stands S 57 W 15 1/2 mts dist. 12,
 Sugar 7 1/2 " " S 49 E 14 1/2 "
 Land for hills timber Buck, Oak, &c.

West On the South Boundary of sec. 34 T. 3 N. R. 2 W.
 40.00 Set a post for the ca of sec. 33 T. 3 N. R. 2 W. from which
 Red Oak, 16 in dia. stands N 65 E 9 1/2 mts dist. 12,
 Buck, 12 " " S 11 E 9 "
 80.00 Set a post for the ca of sec. 33 T. 3 N. R. 2 W. from which
 B. Buck, 7 in dia. stands N 84 E 21 mts dist. 12,
 Buck, 18 " " S 42 W 18 "
 Last 1/4 of a mile down a small drain 4 mts wide
 3rd rate hill land timber Buck, Oak, &c. The Homestead
 I have sold 125 acres North of post. Dec. 12 1804.

West On the South Boundary of sec. 33 T. 3 N. R. 2 W.
 40.00 Set a post for the ca of sec. 32 T. 3 N. R. 2 W. from which
 Buck 10 in dia. stands N 71 W 17 1/2 mts dist. 12,
 Sugar 7 1/2 " " S 91 E 17 1/2 "
 80.00 Set a post for the ca of sec. 32 T. 3 N. R. 2 W. from which

South Boundary.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40.00 At Oak 20 in diam. stands for the ca of 70 sec
 80.00 Set a post for the ca of sec. 35 T. 3. N. R. 2 W. from which
 Sugar. 10 in diam. stands. N 63 E. 13 links east, 10,
 Reck. 13 " " S 80 W 35 " "
 2nd rate spruce timber Oak, Reck, &c.

West On the South Boundary of sec. 35 T. 3. N. R. 2 W.
 24.00 To a Reck. 8 in diam. with line
 40.00 Set a post from which, — A Reck. — in
 diam. stands for the ca of 70 sec
 80.00 Set a post for the ca of sec. 34 T. 3. N. R. 2 W. from which,
 N 45 E. 8 in diam. stands. S 57 W. 15 links east, 10,
 Spruce 7 " " N 49 E. 14 " "
 Sand spruce hills timber Reck. Oak, &c.

West On the South Boundary of sec. 34 T. 3. N. R. 2 W.
 40.00 Set a post from which,
 Red Oak, 16 in diam. stands. N 65 E. 9 links east, 10,
 Reck. 12 " " " N 11 E. 9 " "
 80.00 Set a post for the ca of sec. 33 T. 3. N. R. 2 W. from which,
 B. Reck. 7 in diam. stands. N 84 E. 21 links east, 10,
 Reck. 18 " " " S 42 W. 18 " "
 Last 1/4 of a mile down a small drain 4 links wide
 3rd rate hills sand timber Reck. Oak, &c. The Homestead
 I have sold 125 links North of post. Dec. 13 1804.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40.00 Set a post from which,
 Reck. 10 in diam. stands. N 77 W. 17 links east, 10,
 Do. 7 " " " S 91 E. 17 " "
 80.00 Set a post for the ca of sec. 32 T. 3. N. R. 2 W. from which,

T. N. 3. N. R. No 27 D. 2d Mm. Ind.

Beck 12 in dia: bears N 45 E 8 the dist: 12,
 No 7, " " S 7 E 18, "
 Description of lands omitted

West On the South Boundary of sec 32 T. 3. N. R. 27
 40.00 Set a post from whithy

Poplar 8 in dia: bears S 82 W 25 the dist: 12,
 No other tree near

80.00 Set a post for the cor. of sec 31 & 32 from whithy,
 Gum 20 in dia: bears N 79 E 4 the dist: 12,
 B Oak 7 " " " S 79 W. " "
 Lands 3rd rate;

West On the South Boundary of sec 31 T. 3. N. R. 27
 40.00 Set a post from whithy

Elm 8 in dia: bears S 52 W 10 the dist: 12,
 Beck 11 " " " N 52 E 10, "

80.00 In the Township corner S. 3. 27. 3. N. R. 112 W
 Lands 3rd rate; Timber Oak, &c. Dec. 15. 1804
 Surveyed by

Thos. J. Stone.

Depy. Surveyor

East Boundary.

North On the East Boundary of sec 36 T. 3. N. R. 27
 31.50 To a W Oak 36 in dia: in the river.

40.00 A Beck 12 in dia: marked for the new cor

49.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec 25 & 36 from whithy

Sugar 8 in dia: bears S 30 W 22 the dist: 12,
 Poplar 7 " " " N 19 W 13, "

Lands 2nd rate hill Timber Oak, Gum poplar,
 Sugar 13 T. 7 Walnut, &c.

T. N. 3. N. R. No 27 D. 2d Mm. Ind.

North On the East Boundary of sec 35 T. 3. N. R. 27
 32.50 To a W Oak 18 in dia: in the river.

40.00 Set a post from whithy

W Walnut 7 in dia: bears N 11 E 18 the dist: 12,
 Sassafras 7 " " " N 6 W 14, "

73.00 To a B Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec 24 & 35 from whithy,
 Sugar 12 in dia: bears N 10 E 16 the dist: 12,
 W Oak 12 " " " S 77 W 30 " "
 Lands flat ridge 1st rate;

North On the East Boundary of sec 24 T. 3. N. R. 27

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a post from whithy

Poplar 30 in dia: bears S 83 E 21 the dist: 12,
 Beck 16 " " " N 51 W 23, "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec 13 & 24 from whithy,
 Beck 6 in dia: bears N 29 W 22 the dist: 12,
 Pl. 18 " " " N 63 E 32, "

Lands &c. 3rd rate; Timber Beck, Oak, &c. Poplar

North On the East Boundary of sec 13 T. 3. N. R. 27

25.60 To a Beck 18 in dia: in the river.

41.00 Set a post from whithy

Gum 20 in dia: bears N 12 E 29 the dist: 12,

Dogwood " " " S 8 E 18 " "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec 12 & 13 from whithy

Beck 16 in dia: bears N 22 W 30 the dist: 12,
 W Oak 18 " " " N 16 E 35, "

Lands 2nd & 3rd rate; Timber Beck, Poplar, Oak, &c.

T. N. 3. N. R. N. 27. 2nd Mm. Ad.

Buck 12 in dia: bears N 45 E. 8 the dist: 1/2

Do 7 1/2 " " S 7 E 18. "

Description of lands omitted

West On the South Boundary of sec. 32 T. 3. N. R. 27 W

40.00 Set a 1/2 sup post from which

Poplar 8 in dia: bears S 82 W. 35 the dist: 1/2

No other tree near

80.00 Set a post for the cor. of sec. 31 & 32 from which

Gum 20 in dia: bears N 79 E. 4 the dist: 1/2

Oak 7 " " S 77 W. - " "

Lands 3rd rate;

West On the South Boundary of sec. 31. T. 3. N. R. 27 W

40.00 Set a 1/2 sup post from which

Oak 8 in dia: bears S 52 W. 10 the dist: 1/2

Buck 11 " " N 52 E. 10. "

80.00 To the Township corner. S. 2. 27. 3. N. R. 27 W

Lands 3rd rate; Timber Oak, &c. Dec. 15. 1864

Surveyed by

J. J. Stone.

Dep. Surveyor

East Boundary.

North On the East Boundary of sec. 36. T. 3. N. R. 27 W

31.50 To a W Oak 36 in dia: in the river.

40.00 At Buck 12 in dia: marked for the new cor

49.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec. 25 & 36 from which

Sugar 8 in dia: bears S 30 W. 22 the dist: 1/2

Poplar 7 " " N 19 W. 13. "

Lands 2nd rate hill Timber Oak, Gum poplar,

Sugar 12 & 11 Walnut, &c.

T. N. 3. N. R. N. 27. 2nd Mm. Ad.

North On the East Boundary of sec. 35. T. 3. N. R. 27 W

32.50 To a W Oak 18 in dia: in the river.

40.00 Set a 1/2 sup post from which

W Walnut 7 in dia: bears N 11 E. 18 the dist: 1/2

Shallows 7 " " N 16 W. 14. "

73.00 To a W Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec. 24 & 35 from which

Sugar 12 in dia: bears N 10 E. 16 the dist: 1/2

Oak 12 " " S 77 W. 30. "

Lands flat ridge 1st rate;

North On the East Boundary of sec. 24. T. 3. N. R. 27 W

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a 1/2 sup post from which

Poplar 30 in dia: bears S 83 E. 21 the dist: 1/2

Buck 6 " " N 51 W. 23. "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec. 13 & 24 from which

Buck 6 in dia: bears N 29 W. 22 the dist: 1/2

Do 18 " " N 63 E. 32. "

Lands &c. 3rd rate; Timber Buck, Oak, &c. Upland?

North On the East Boundary of sec. 13. T. 3. N. R. 27 W

25.60 To a Buck 18 in dia: in the river.

41.00 Set a 1/2 sup post from which

Gum 20 in dia: bears North 29 the dist: 1/2

Dogwood " " S 8 E. 18. "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec. 12 & 13 from which

Buck 16 in dia: bears N 22 W. 50 the dist: 1/2

W Oak 18 " " N 16 E. 35. "

Lands & 2nd & 3rd rate; Timber Buck, Poplar, Oak, &c.

T. N. 3 N. R. N. 27 2nd Mer. Ind. 2

North Return Sec. 23 & 24 T. 3. N. R. 27.

40.00 Set a post from which

Hick 30 in dia. trees N 65 E 5 1/2 the dist; 83

Dogwood 10 " " S 65 W 26 " "

37.50 To a Buck 10 in dia. in the line

80.00 Set a post for the cor. of sec. 13 14 23 & 24 from which

Dogwood 10 in dia. trees N 40 E 15 the dist; in

R. Oak 30 " " S 45 W 18 " "

Land 2nd 13 rate; Buck, & Oak. Hills

West Return Sec. 13 & 24 T. 3. N. R. 27.

40.00 Set a post from which

Buck 12 in dia. trees N 35 E 15 the dist; 10

W Oak 18 " " N 12 W 16 " "

80.00 Set the post cor. of sec. 13 14 23 & 24

Marsh of 3rd rate Hill lands

North Return Sec. 14 & 13 T. 3. N. R. 27.

21.50 To a Hick 15 in dia. in the line

40.00 Marked the new cor. on a Buck 10 in dia.

36.45 To a Poplar 36 in dia. in the line

80.00 Set a post for the cor. of sec. 11 12 13 & 14 from which

Buck 14 in dia. trees S 78 W 37 the dist; 20

Do 14 " " N 72 E 36 " "

Land 2nd 2nd rate; Hills; Timber Buck, Oak, Poplar, &c.

West Return Sec. 12 & 13 T. 3. N. R. 27.

40.00 Set a post (from which) Marked

the new cor. on a Poplar 10 in dia. in a Poplar thicket on a Ridge

80.00 Set the post cor. of sec. 11 12 13 & 14

T. N. 3 N. R. N. 27 2nd Mer. Ind. 2

North Return Sec. 11 & 12 T. 3. N. R. 27 2nd Mer.

25.18 To a Sugar 12 in dia. in the line

40.00 Set a post from which

W Oak 18 in dia. trees S 69 E 14 the dist; 20

Do 12 " " N 10 E 14 " "

74.30 Struck Freeman's line & set a post for the cor. of sec.

Sec. 11 & 12 from which

Buck 12 in dia. trees N 68 W 28 the dist; 10

Maple 10 " " S 21 E 31 " "

Timber oak upland; Timber Oaks, Timber Buck,

Sugar & Oak, &c.

North Return Sec. 11 & 12 T. 3. N. R. 27.

39.01 To a Buck 10 in dia. in the line, corner W.

40.00 Set a post

80.00 Set a post for the cor. of sec. 11 & 12 from which

Hick 10 in dia. trees S 50 E 4 the dist; 10

W Oak 8 " " S 17 W 15 " "

This mile is over hilly lands; Timber Oak, & Poplar, &c.

East On a Random line between Sec. 1 & 12 T. 3. N. R. 27.

27.00 To a Buck 10 in dia. in the line, corner W.

40.00 Set a post

82.04 Intersect the East Boundary 104 links North of the

post cor. of sec. 1 & 12. Land to the same, not set out

West On the same line between Sec. 1 & 12 T. 3. N. R. 27.

41.02 Set the post for the cor. at the ar. dist. in the line

from which Buck 10 in dia. trees S 60 W 12 the dist

under a Do 9 " " North 17 " "

82.04 Set the cor. of sec. 1 2 11 & 12

North Return Sec. 1 & 2 T. 3. N. R. 27.

1.10 To a W Oak 20 in dia. in the line

T. N. 3. N. R. N. 2 W. 2nd Mer. Ind.

2800 To a Brook 10 miles mid, Coma N.
 4000 Set a $\frac{1}{2}$ supert from which,
 Buck 20 in dist. from S 57 E 13 miles dist. to,
 W Oak 20 " " " S 44 E 43 " "
 1940 Intercept the North Boundary 197 miles West of the first
 ca of sec 35 & 36. T. 44 N. 2 W. & set apart for the
 " " " 162 from which,
 Hick 10 in dist. from S 41 E 25 the north, to,
 Logansport, Co. " " " S 41 W. 17 " "
 Same the same.

North Return Sec 34 & 35. T. 3. N. R. 2 W.
 4000 Set a $\frac{1}{2}$ supert from which,
 Sugar 8 in dist. from S 32 E 13 the north, to,
 B Oak 20 " " " S 24 W. 11 " "
 8000 Set apart for the ca of sec 26, 27, 34 & 35 from which,
 W Oak 18 in dist. from S 10 E 4 the north, to,
 Do. " " " S 37 E 28 " "
 Same both, T. 3rd rate; same the Oak, Logansport, Co.

West Return Sec 26 & 35. T. 3. N. R. 2 W.
 4000 Marked the $\frac{1}{2}$ supert on a Line 24 in dist.
 8000 Hit the first ca of sec 26, 27, 34 & 35
 3rd rate; upland; Timber Buck, Oak, Gum, Hick,

North Return Sec 26 & 27. T. 3. N. R. 2 W.
 3500 To a Buck 24 in dist. in the line
 4000 Set a $\frac{1}{2}$ supert from which,
 Buck 8 in dist. from S 33 E 13 the north, to,
 Do. " " " S 69 W. 17 " "
 6000 To a N Oak 36 in dist. in the line.
 8000 A Poplar 14 in dist. it runs for the ca of sec 22,
 23, 26 & 27. Same Kelly, 3rd rate, same the Oak.

T. N. 3. N. R. N. 2 W. 2nd Mer. Ind.

Same Buck, & Poplar, &c

West Return Sec 23 & 26. T. 3. N. R. 2 W.
 4000 Marked the $\frac{1}{2}$ supert on a N Oak, 12 in dist.
 8000 Hit the first ca of sec 22, 23, 26 & 27
 Same 3rd rate Buck, & Oak, Hills

North Return Sec 22 & 23. T. 3. N. R. 2 W.
 3200 To a Hick 18 in dist. in the line
 4000 Set a $\frac{1}{2}$ supert from which,
 Buck. — in dist. from S 47 E 29 the north, to,
 Poplar 7 " " " S 26 W. 9 " "
 8000 Set apart for the ca of sec 14, 15, 22 & 23 from which,
 Buck 18 in dist. from S 60 W. 8 the north, to,
 Do. 10 " " " S 81 E 24 " "
 Same & timber same as before

West Return Sec 14 & 23. T. 3. N. R. 2 W.
 4000 Set a $\frac{1}{2}$ supert from which,
 Maple 10 in dist. from S 85 W 36 the north, to,
 Buck 12 " " " S 7 W 30 " "
 8000 Hit the first ca of sec 14, 15, 22 & 23.
 Same 3rd rate; Oak, & Do. & need to upland.

North Return Sec 14 & 15. T. 3. N. R. 2 W.
 2700 To a Brook 30 miles mid, Coma N 60 W
 2900 To a Buck 18 in dist. in the line.
 4000 Set a $\frac{1}{2}$ supert (from which) A Logansport
 6 in dist. it runs for the ca of $\frac{1}{2}$ sec.
 4600 To a Buck 9 in dist. in the line
 8000 Set apart for the ca of sec 14, 15, 22 & 23 from which,
 Red Oak 14 in dist. from S 60 W 13 the north, to,
 Do. 13 " " " S 98 E 12 " "

I N^o 3. N R N^o 277 0th 7th M. S. d. a

Sands & timber same as last mile.

West Return Sur 11114 I 3 N R 277

40.00 Set a post support from which,

Beck 16 in dia^r beam A42 N. 20 lbs dist. 8 a

Lo. 14 " " " A69 E. 34 " "

50.00 Set the post co of sur 11114 & 115.

Sands 2nd 13th rate Buck & Oak Hills.

North Return Sur 11111 I 3 N R 277

31.50 To galuga. 8 in dia^r in the line.

40.00 Set a post support from which, galuga 8 in dia^r. Stand for the co of sur.

75.50 To a top. 11 in dia^r in the line.

80.00 Set a post for the co of sur 2, 3, 11 & 12 from which,

Beck 12 in dia^r beam A43 E. 18 lbs (dist) 14

E. 20 " " " A7 E. 29 " "

Sands Hilby & 2nd rate; Timber Oak, Buck & Oak Hills.

East Return Sur 2711 I 3 N R 277

40.00 Set a post support from which,

Beck 14 in dia^r beam 550 E. 20 lbs dist. 10

Lo. 23 " " " A75 E. 54 " "

65.00 Strike Freeman's line & set a post for the co of fract Sur 2711 from which,

Beck 14 in dia^r beam 550 E. 20 lbs dist. 10

Lo. 23 " " " A75 E. 54 " "

Sands 2nd rate upland; Timber Oak, Buck & Oak Hills.

West Return Sur 1111 I 3 N R 277 (On all land on)

40.00 Set a temporary post

52.18 Set out the N R line 166 lbs North of the post co of sur 2, 3, 10 & 11.

I N^o 3. N R N^o 277 0th 7th M. S. d. a

East On the line between Sur 2711 I 3 N R 277.

41.09 Set the temporary support at the end of the line from which, B N about 6 in dia^r beam 57 N. 6 lbs dist. and an Elm. 6 " " A26 N. 7 " "

82.18 Set the co of sur 1, 2, 11 & 12

North Return Sur 273 I 3 N R 277

8.00 To a Beck 6 in dia^r in the line.

24.00 Set a post on Freeman's line for the co of fract Sur 273 from which,

Beck 24 in dia^r beam A9 E. 25 lbs dist. 10

Lo. " " " A26 N. 50 " "

Sands under timber same as last mile. Dec. 19.

North Return Sur 273 I 3 N R 277

40.00 Set a post support from which,

Oak 20 in dia^r beam East 8 lbs dist. 10

50.50 Set out the N R line 350 lbs West of the post co of sur 34 & 35 I 4 N R 277 and set a post

" " " 273 from which,

Beck 12 in dia^r beam A45 N. 18 lbs dist. 10

Lo. 15 " " " A45 N. 18 " "

Sand hilby very.

North Return Sur 33 & 34 I 3 N R 277

9.30 To a Beck 14 in dia^r in the line.

40.00 Set a post support from which,

Log 15 in dia^r beam A71 E. 10 lbs dist. 10

Log 8 " " " A80 N. 21 " "

61.20 To a Hick 12 in dia^r in the line.

80.00 Set a post for the co of sur 27, 28, 33 & 34 from which a Beck 12 in dia^r beam A45 E. 18 lbs dist. 10

Lo. 8 " " " A55 E. 42 " "

Sand flat under, 2nd rate; Timber Oak, Buck, Oak, etc.

J. N. S. N. R. N. D. M. D. M. D. M. D. M.

West Return Jan 27 1834 J. N. S. N. R. D. M.
40.00 Set a 1/2 sup post from whist
Beck 13 in dist. from S 13 E 16 W. dist. 10.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
80.00 Set the post on of sec 27 28 33 34

North Return Jan 27 1838 J. N. S. N. R. D. M.
5.50 To a 1/2 sup post from whist
40.00 Set a 1/2 sup post from whist
Beck 10 in dist. from S 51 E 10 W. dist. 10.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
79.10 To a Beck 13 in dist. in the line.
80.00 Set a post for the cor. of sec 21 22 27 28 from whist
Beck 18 in dist. from S 13 E 24 W. dist. 10.
Dogwood 1/2 " " S 23 E 26 " "
Sands & timber same as last mile.

West Return Jan 22 1837 J. N. S. N. R. D. M.
45.00 Set a 1/2 sup post from whist
Red Oak 10 in. dist. from S 41 E 13 W. dist. 10.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
80.00 Set the post on. of sec 21 22 27 28
Sands 200 1/2 rate Beck, Head Hill

North Return Jan 21 1833 J. N. S. N. R. D. M.
28.50 To a 1/2 sup post from whist
40.00 Set a 1/2 sup post from whist
Beck 30 in dist. from S 32 W. 8 W. dist. 10.
10. 20. 20. 20. 20. 20. 20. 20. 20. 20.
69.50 To a Beck 11 in dist. in the line.
80.00 Set a post for the cor. of sec 15 16 21 22 from whist
Beck 20 in dist. from S 10 W. 40 W. dist. 10.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.

J. N. S. N. R. N. D. M. D. M. D. M. D. M.

Face of the land; Timber Soil; No. same as last mile

West Return Jan 15 1832 J. N. S. N. R. D. M.
40.00 Set a 1/2 sup post from whist
Beck 18 in dist. from S 30 W. 9 W. dist. 10.
10. 20. 20. 20. 20. 20. 20. 20. 20. 20.
80.00 Set the post on of sec 15 16 21 22
Sands & timber same as last mile.

North Return Jan 15 1836 J. N. S. N. R. D. M.
7.00 To a Sugar. 18 in dist. in the line.
40.00 Set a 1/2 sup post from whist
Beck 20 in dist. from S 5 E 23 W. dist. 10.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
49.25 To a Beck 9 in dist. in the line.
80.00 A Beck 11 in dist. from the cor. of sec 7 10 15 16
Sands & timber same as last mile.

West Return Jan 10 1835 J. N. S. N. R. D. M.
10.50 To a Beck 20 in dist. in the line.
40.00 Marked the 1/2 sup post on a Beck 20 in dist.
80.00 Set the post on of sec 9 10 15 16
Sands 300 rate; Beck, Hills

North Return Jan 9 1830 J. N. S. N. R. D. M.
32.00 To an S Maple. 18 in dist. in the line.
40.00 Set a 1/2 sup post from whist
13 Oak. 8 in dist. from S 11 E 8 W. dist. 10.
10. 20. 20. 20. 20. 20. 20. 20. 20. 20.
46.50 To an Ash 5 in. dist. in the line.
80.00 A Beck 7 in dist. from the cor. of sec 3 4 9 10
Face of the land and timber &c. same as last mile.

J. N. 3 N. R. N. 272nd Mm. Ind.

North Return Dec 20 1891 J. 3 N. R. 272.

40.00 Set apart for the ca of 7th su. from white,
W. Walnut 10 in dia. beam. A48 E. 7th the cut, ra,
Buck 11 " " " A22 N. 32 " "

69.50 To a Poplar 24 in dia. in the river.

50.00 Set apart for the ca of su. 16, 17, 21 & 21 from white,
Buck 12 in dia. beam. A37 N. 28th the cut, ra,
Do. 10 " " " A15 E. 10 " "
Sands & timber same as above.

West Return Dec 16 1891 J. 3 N. R. 272.

40.00 Set apart for the ca of su. from white,
Buck 6 in dia. beam. A37 N. 1st the cut, ra,
Do. 12 " " " A6 N. 24 " "

50.00 Set apart for the ca of su. 16, 17, 21 & 21
Same 2nd & 3rd rate; Buck, & Oak, & H. L.

North Return Dec 16 1891 J. 3 N. R. 272.

23.00 To a Good Spring corner. 445 N.

36.25 To a Buck 11 in dia. in the river.

40.00 Set apart for the ca of 7th su. from white,
Buck 11 in dia. beam. A22 N. 10th the cut, ra,

66.00 To a Buck 18 in dia. in the river.

80.00 Set apart for the ca of su. 8, 9, 16, 21 from white,
Sugar 8 in dia. beam. A22 E. 10th the cut, ra,
Dogwood 7 " " " A22 N. 15 " "
Sands & timber same as last set.

West Return Dec 9 1891 J. 3 N. R. 272.

40.00 Set apart for the ca of su. from white, Buck 10 in dia.
Stand for the ca of 7th su.

80.00 Set apart for the ca of su. 8, 9, 16, 21.
Sands & timber same as last set.

J. N. 3 N. R. N. 272nd Mm. Ind.

North Return Dec 8 1891 J. 3 N. R. 272.

31.85 To a Sugar 15 in dia. in the river.

40.00 Set apart for the ca of su. from white,
Poplar 8 in dia. beam. A38 N. 9th the cut, ra,
Do. " " " " A44 N. 23 " "

77.75 To a Hick 18 in dia. in the river.

80.00 Set apart for the ca of su. 4, 5, 8 & 9 from white,
Sugar 9 in dia. beam. A17 E. 23th the cut, ra,
Do. 7 " " " A44 E. 16 " "
Sands & timber same as last set.

West Return Dec 4 1891 J. 3 N. R. 272.

30.00 To a Run 50 units m. corner. 177.

40.00 Set apart for the ca of su. from white. A Buck 18 in dia.
Stand for the ca of 7th su.

75.00 To a Run 50 units m. corner. 177.

80.00 To the put ca of su. 4, 5, 8 & 9
Sands & timber Buck Oak & H. L. 2nd rate.

North Return Dec 4 1891 J. 3 N. R. 272.

10.00 To a Run 50 units m. corner. 177.

40.00 To a Sugar 8 in dia. Stand for the ca of 7th su.

79.00 Set apart on Sherman's line for the ca of 7th su.
4 & 5 from white.

W. Oak 12 in dia. beam. A42 E. 15th the cut, ra.

Do. 48 " " " A45 N. 13 " "

80.40 To a Run 50 units m. corner. 177.
Sands & timber Buck Oak & H. L. 2nd rate.

North Return Dec 31 1891 J. 3 N. R. 272.

26.00 To a W. Oak 20 in dia. in the river.

40.00 To a Sugar 8 in dia. Stand for the ca of 7th su.

57.50 To a Run 18 " " " in the river.

80.00 Set apart for the ca of su. 29, 30, 31 & 32 from white.

To a Run 50 units m. corner. 177.

J. N. 3. N. R. N. 27 2nd Mm. Ind.

A. Poplar 8 in diam. beam 128 N. 24 lbs. ash, 12,
 Do. — " " " 168 N. 33, "
 Sand hills, 1st rate, Some few Oak, 2

West Return Jan 29 1832 J. 3. N. R. 27.
 2.00 To get small drain Come to
 40.00 Set a post from white,
 Bech. 10 in diam. beam 125 N. 24 lbs. ash, 12,
 Do. 6 " " " 52 E. 16, "
 80.00 Hit the post on of 29. 30. 31 1832
 Sand 3rd rate Bech, 1 Oak, Hills;

West Return Jan 30 1831 J. 3. N. R. 27.
 40.00 Set a post from white,
 11 Oak 8 in diam. beam North 28 lbs. ash, 12,
 Elm. 12 " " " 50 E. 10, "
 80.70 Set a post the West Boundary at Bart's post on of
 Jan 25 1836 J. 3. N. R. 3 M. Sand from tarry hills
 Bech. saplings 11 Brine.

North Return Jan 29 1830 J. 3. N. R. 37.
 8.00 To a Bech. 12 in diam. in the line.
 40.00 Set a post from white,
 Sassafras 7 in diam. beam 144 E. 12 lbs. ash, 12,
 Iron rock 7 " " " 15 N. 8, "
 54.50 To a Poplar. 30 in diam. in the line.
 80.00 Set a post for the on of 29. 20 29 1830 from white,
 Bech. 9 in diam. beam 130 N. 23 lbs. ash, 12,
 Poplar. 36 " " " 17 E. 13, "
 Sand & timber same as last mile.

West Return Jan 20 1829 J. 3. N. R. 27.
 40.00 Set a post from white,

J. N. 3. N. R. N. 27 2nd Mm. Ind.

Bech 6 in diam. beam 167 E. 29 lbs. ash, 12,
 Do. 11 " " " 169 N. 24, "
 80.00 Hit the post on of 29. 19. 20. 29 1830

West Return Jan 19 1830 J. 3. N. R. 27.
 40.00 Set a post from white,
 Bech. 10 in diam. beam 172 N. 16 lbs. ash, 12,
 Do. 9 " " " 50 E. 12, "
 80.80 Set a post the West Boundary at the on of 29. 24 1830.
 J. 3. N. R. 3 M. post set by Bartow.
 Sand 3rd rate Bech, 1 Oak, Hills

North Return Jan 19 1820 J. 3. N. R. 27.
 13.00 To a Run. 30 in diam. beam 160 N.
 33.00 To a Bech. 10 in diam. in the line.
 40.00 Set a post from white,
 Bech. 20 in diam. beam 169 E. 30 lbs. ash, 12,
 Poplar. 8 " " " 154 N. 19, "
 55.00 To a Bech. 20 in diam. in the line.
 80.00 Set a post for the on of 29. 17. 18. 19 1820 from white,
 Bech. 12 in diam. beam 130 N. 22 lbs. ash, 12,
 Do. 10 " " " 52 E. 11, "
 Sand & timber same as last mile. Dec. 20 18

West Return Jan 17 1820 J. 3. N. R. 27.
 40.00 Set a post from white,
 Bech. 8 in diam. beam 136 N. 11 lbs. ash, 12,
 Do. 6 " " " 48 E. 7, "
 41.00 To a Brook 8 lbs. run, Course West by link
 Kept on the South side of same. Get 1/4 mile.
 80.00 Hit the post on of 17. 18. 19 1820.
 Sand 2nd rate, Oak, Bech, 1 Poplar.

I. N. 3. N. R. N. 272nd Mm. Ind.

Met Return Jan 18 1899 I. 3. N. R. 272.
 40.00 Marked the 1st sapot on a Beech, 10 in dia.
 52.00 To a creek 200 yds. more, corner N. W.
 80.00 Set the post on of sec 13 & 24 I. 3. N. R. 371
 set by Levi Banta
 Lands mostly creek bottom. Timber Beech & Oak.

North Return Jan 17 1899 I. 3. N. R. 271.
 4.50 To a Run 50 yds. more, corner N.
 11.80 To a Poplar 10 in dia. in the run.
 40.00 Set a 7th sapot from which
 Poplar 7 in dia. bears 127 N. 25 W. dist. 100
 Beech 27 1/2 " " 127 E. 15 " "
 62.50 To a N. Oak 12 in dia. in the run.
 80.00 Set a post for the corner of sec 7. 8. 17 & 18 from which
 S. Maple 8 in dia. bears 145 N. 15 W. dist. 100
 Beech 8 " " 145 E. 17 " "
 Lands hilly, 13rd rate; Timber Oak & some Beech.

Met Return Jan 8 1899 I. 3. N. R. 270.
 40.00 A Beech, 6 in dia. corner in the run.
 80.00 To the post corner of sec 7. 8. 17 & 18.
 Lands & timber same as last mile.

Met Return Jan 7 1899 I. N. 3. N. R. 271.
 40.00 Set a 7th sapot from which
 Dog wood 7 in dia. bears 157 N. 70 W. dist. 100
 Beech 20 " " 171 E. 41 " "
 80.40 Set out the West Boundary at the post corner of sec
 12 & 13 I. 3. N. R. 371
 Lands & timber same as last mile
 Run runs 26 yds. north of the post.

I. N. 3. N. R. N. 271st Mm. Ind. 161

North Return Jan 7 1899 I. 3. N. R. 270.
 40.00 Set a 7th sapot from which
 Beech 11 in dia. bears 126 E. 5 W. dist. 100
 Juniper 7 " " 127 N. 22 " "
 53.50 To a Poplar 18 in dia. in the run.
 77.00 To a Run 70 yds. more, corner N.
 80.00 Set a post for the corner of sec 7. 8. 17 & 18 from which
 Beech 8 in dia. bears 128 N. 10 W. dist. 100
 Oak 12 " " 146 E. 19 " "
 Lands & timber same as last mile.

Met Return Jan 5 1899 I. 3. N. R. 271.
 40.00 Set a 7th sapot from which
 Sugar 7 in dia. bears 169 E. 28 W. dist. 100
 Beech 12 " " 145 N. 5 " "
 51.00 To a Run 50 yds. more, corner 186 N.
 80.00 To the post corner of sec 7. 8. 17 & 18.
 Lands & timber same as last mile.

Met Return Jan 6 1899 I. 3. N. R. 271.
 2.00 To a Brook 50 yds. more, corner N 10 W.
 40.00 Set a 7th sapot from which
 Beech 12 in dia. bears 130 E. 21 W. dist. 100
 Oak " " " East 30 " "
 80.00 To the post corner of sec 1. 4 & 12 I. 3. N. R. 571
 Lands hilly; Timber Beech, Oak, 82 2nd rate.

North Return Jan 5 1899 I. 3. N. R. 271.
 7.00 To a Creek 20 yds. more, corner N 20 W.
 10.00 To a N. Oak 24 in dia. in the run.
 40.00 A Poplar 5 in dia. bears for the corner of sec
 49.00 To a Creek 50 yds. more, corner N.
 52.00 To a N. Oak 24 in dia. in the run.

S. N. 3. N. R. 2. 2nd 4. 2nd 7th M. Sec.

8000 Set apart for the cov of sec 5 & 6. S. 31 & 32. S. 3
3 & 4 N. R. 2 W from which
Dutton mt. 8 mi dist. from S. 32 E. 5th dist. 1 mi
S. 32 E. 5th dist. 1 mi
S. 32 E. 5th dist. 1 mi
S. 32 E. 5th dist. 1 mi
S. 32 E. 5th dist. 1 mi

Notes of Freeman's line
Mustably On the same line from a post co of sec 7. in
Range 1. & S. 12 in Range 2.
84.50 To a post co of sec 11 & 12.

N 71° 11' From the last named post.
16.00 To the post co of sec 2 & 11

N 71° 11' From the last named post.
68.10 To the post co of sec 2 & 11

N 71° 11' From the last named post.
84.75 To the post co of sec 3 & 4.

N 71° 11' From the above named post.
54.67 To the post co of sec 4 & 5.

The part South of Survey & by
Harrison's Purchase. Super & Atm
Dep't Surveyors

The part lying in Harrison's Purchase
Surv. by A. Harris. D.S.

Comp?

Shirship N. 4. North of Range N. 3 West 2nd M. Sec.

South Boundary

West On the South Boundary of sec. 36. S. 4 N. R. 2 W.
4000 Set a temp. post for sec. post. Random line
8000 Set a temp. post for the cov of sec. 35 & 36.
This mile is hilly, lands; Timber Root, Sugar Oak &c.

West On the South Boundary of sec. 35. S. 4 N. R. 2 W.
4000 Set a temp. post for sec. post. Random line
8000 Set a temp. post for the cov of sec. 34 & 35.
Lands the same, Hg Oak, Hick, Dogwood &c.

West On the South Boundary of sec. 34. On a random line
S. 4, N. R. 2 W.
4000 Set a temp. post for sec. post.
8000 Set a temp. post for the cov of sec. 33 & 34.
Lands the same & hilly;

West On a random line On the South Boundary of sec. 33
S. 4, N. R. 2 W.
4000 Set a temp. post for sec. post.
8000 " " post for the cov of sec. 32 & 33.
Lands the same, & hilly

West On a random line between S. 32 & 33. S. 4, N. R. 2 W.
15.00 To a Root 12 links in, corner S. 11.
4000 Set a temp. post for sec. post.
8000 Set a temp. post for the cov of sec. 31 & 32
84.50 To the South of the cov established for sec. 31 & 32
Lands the same.

East On the True line On the South Boundary of sec. 32
4.50 Set the post at the exact distance of 5 miles from the
East Boundary from which,